



www.sebart.it
www.sebart-shop.com



Cristian Selva
2025 Imac "Advance"
Europa Cup Champion

Sebart 2026

FOAM Jet Class

Mini **Avanti S** EDF



V.2
Full upgrade!

**80mm 12-blade ducted fan
3658-2150Kv brushless inrunner motor
+100 Amp thrust reversing ESC**

**No bare white foam to prevent aging and discoloration
Optimized nose landing gear to reduce yaw and landing bounce**



6s

Material: High Density EPO foam
Wing sp.: 48.66 in. (1.236 mm)
Length: 51.18 in. (1.300 mm)
Weight RTF (with 5000-6S): 98,7oz. (~2,8 Kg)
Required Radio: 6+ channels

• HIGH PERFORMANCE V2 version:
80mm 12 blades EDF
2150 Kv inrunner brushless motor + ESC 100A
Recommended battery pack: 4000/6000-6s lipo
Factory installed: 8 digi Hybrid MG 9g servos.
Electric landing gear and light system.



Silver / Red new version scheme



Underside colour scheme

www.sebart.it



www.sebart-shop.com



Ares

90EDF 3D

90mm EDF Jet thrust vectoring
Dual EG01 Gyros for precision control
High-Power 8S EDF Performance
4075-1350KV inrunner motor,
12-blade fan, 120A ESC with thrust reversing

Available in 3 different version - ARF - PNP 6S - PNP 8S



8s

Material: High Density EPO foam
Wing sp.: 45.5 in. (1.156 mm) - Length: 55.1 in. (1.400 mm)
Weight w/o battery: 6 lbs (2.721 g)
Required Radio: 13+ channels

• HIGH PERFORMANCE VERSION:

EDF: 90mm 12 blades
Motor: 8S 4075-1350Kv Inrunner brushless
ESC: 120A thrust reversing
Recommended battery pack: 5000/6000-8s lipo

Factory installed: 11 digi Metal/Hybrid gear 9/16g servos
Aluminum retractable landing gear , light system.



Red scheme



Yellow scheme

FOAM Jet Class

EDF/Jet Class

Mini *Avanti*S

V.2 90EDF/Turbine

Simply the best EDF/JET trainer today!

**Fiberglass fuselage
painted outside mould**

**Wings and stabilizers
in balsa, film covered**

**New stronger electric landing gear
+ 2 doors servos and 1 steering servo
factory installed**

**OPTIONAL:
EDF set full aluminium JP
P20-30 turbine conversion set
Wheel brakes**

www.sebart.it



**RED Style
version**



6s

Wing Span: 53.54 in (1.360 mm) - Length: 55.9 in (1.420 mm)
Wing area: 589 sq in (38 dm²)

Weight with EDF:

Less batt: 6.39 lb (2,9kg.) - RTF with 5.800-6S batt: 8.38 lb (3,8kg.)

Weight with turbine P20:

Less RX and turbine battery: 6.72 lb (3.050 g.)

RTF with RX and turbine battery + 650cc tank full: 8.27 lb (3,75 Kg.)

Electric power setup included and factory installed

New full aluminium 90mm 12 blades EDF unit,

1.750 Kv outrunner motor + 130 A ESC with 8A Bec 5V

Factory installed landing gear and doors sequencer ,

+ 2 servos for doors, and 1 for steering front gear

Required: radio 6+ channels and 7 MG sub-micro servos

Recommended battery pack: Li-Po 5000-6S or 5800-6S



Blue Style version



Yellow Style version



www.sebart-shop.com

Mini MB-339

V.2



SEBA 2025
White / Blue / Red / Gold scheme

**Fiberglass fuselage
painted outside mould**

**Wings and stabilizers
in balsa, film covered**

**New stronger electric landing gear
+ 2 doors servos and 1 steering servo
factory installed**

OPTIONS:
EDF set full aluminium JP
P20-30 turbine conversion set
Wheel brakes



Freccie Ticolori 100 Years scheme



SEBA 2025 White/Green/Red/Silver scheme

Wing span: 54.33 in (1.380 mm) - Length: 65.69 in (1.640 mm)
Wing area: 511.5 sq in (33 dm²)

With EDF full aluminum 12 blades 90mm
1750 Kw motor, 138A ESC with 8A bec 6V
Weight (less battery): 6.59 lb (2.99 Kg)
Weight RTF (with 5800-6S): 8.48 lb (3.85 Kg)
Recommended battery pack: 5000-6S / 5800-6S

With Turbine P20
Weight (empty, less RX and Turbine batt: 7.12 lb (3.2 Kg)

Required: radio 6+ ch. with 7 MG sub-micro servos

EDF/Jet Class

EDF/Jet class



Mini L-39

V.2 90EDF/Turbine

New stunning paint schemes

*Fiberglass fuselage
painted outside mould*

*Wings and stabilizers
in balsa, film covered*

OPTIONS:

*EDF set full aluminium JP
P20-30 turbine conversion set
Wheel brakes*

www.sebart.it

6s

Wing span: 50.98 in (1295 mm) - Length: 57.08 in (1400 mm)
Wing area: 496 sq in (32 dm²)

With EDF full aluminum 12 blades 90 mm
1750 Kw motor, 138A ESC with 8A bec 6V
Weight (less battery): 6.61 lb (3,0 Kg)
Weight RTF (with 5800-6S): 8.48 lb (3,85 Kg)
Recommended battery pack: 5000-6S / 5800-6S

With Turbine P20
Weight (empty, less RX and Turbine batt): 7.16 lb (3,25 Kg)

Required: radio 6+ ch, with 7 MG sub-micro servos



White / Red scheme



Slovakia Team White / Blue scheme



www.sebart-shop.com

Mini

B Ae Hawk

V.2 90EDF/Turbine

*Fiberglass fuselage
painted outside mould*


*Wings and stabilizers
in balsa, film covered*

*New stronger electric landing gear
+ 2 doors servos and 1 steering servo
factory installed*

OPTIONS:
*EDF set full aluminium JP
P20-30 turbine conversion set
Wheel brakes*



Swiss scheme



Red Arrow scheme

Wing span: 50.98 in (1295 mm) - Length: 57.08 in (1400 mm)
Wing area: 496 sq in (32 dm²)

With EDF full aluminum 12 blades 90 mm
1750 Kw motor, 138A ESC with 8A bec 6V
Weight (less battery): 6.61 lb (3,0 Kg)
Weight RTF (with 5800-6S): 8.48 lb (3,85 Kg)
Recommended battery pack: 5000-6S / 5800-6S

With Turbine P20
Weight (empty, less RX and Turbine batt): 7.16 lb (3,25 Kg)

Required: radio 6+ ch, with 7 MG sub-micro servos

EDF/Jet Class

30-50 Class Trainer



Blue / White
scheme


Cessna

30-50E

The Semi-Scale Super Trainer

*The perfect plane
for new pilots training*

*Wing slats for
smooth landings*



3s or 5s

www.sebart.it

Wing span: 62.35 in (1.660 mm)
Length: 57.87 in (1.470 mm)
Wing area: 651 sq in (42 dm²)

3S battery version

Hacker A30-10XL + ESC 55A bec + APC 14x7E
Weight RTF (with 5000-3S): 5.51 lb (2,5 Kg)

5S battery version

Hacker A50-14S + ESC 80A bec + APC 16x8E
Weight RTF (with 5000-5S): 6.39 lb (2,9 Kg)

Required radio: 6+ ch. with 5 MG mini servos



Red / White scheme



Wide access for battery and electronics



www.sebart-shop.com

Blanik

V.2



Blue scheme

New scale glider version suitable for tug or slope, fiberglass fuselage, balsa /plywood wings and stabilizer film covered. Complete with flap, turbine or EDF support, tug release and all accessories, Wing bags included.



Red scheme



Turbine or EDF mounting system included

Wingspan: 130,7 in (332 cm)
Length: 66,9 in (170 cm)
Airframe weight: 7,27 lb (3300 g)
Weight RTF approx.: 11 lb (5000g)
Wing surface: 1247,7 sq in (80,5 sq dm)
Wing loading: 2,1 lb/sq in (62 g/sq dm)

Servos function: 7 mini + 1 standard
aileron (2), flap (2), rudder (1),
elevator (2), tow release system (1)

Wing protection bags included

Glider 50 Class scale

50 class



SebArt 20 years
scheme

V.3

New version, with new color scheme,
new wings fast locking system
and new carbon look inside fuselage.

www.sebart.it



6s

Wing Span: 61 in (1.540 mm)
Length: 61 in (1.540 mm)
Wing Area: 800 sq in (51,6 dm²)
Weight (less battery): 5.18-5.29 lb (2,35 -2,40 Kg)
Required radio: 4+ ch. with 4 standard servos

Recommended Power Setup

Motor: Hacker A50-16S

ESC: Hacker Master 70A BEC

Battery: Li-Po 4500-6S

Propeller: APC 16x12E or 17x8E



Sebart 20Years underside scheme



Yellow / Black scheme



www.sebart-shop.com

EXTRAS

50E



Silver / Yellow / Blue scheme



Underside scheme



Silver / Yellow / Red scheme

Wing Span: 61 in (1.550 mm)
Length: 63 in (1.600 mm)
Wing Area: 768,78 sq in (50,76 dm²)
Weight (less battery): 5.86 lb (2,66 Kg)
Weight (with battery): 7.65 lb (3,47 Kg)
Required radio: 6 or more channels
with 4 mini MG digital servos (JR S3411 or S3911)

Recommended Power Setup
Motor: Hacker A50-16S - ESC: Jeti 100A
Battery: Li-Po 5800-6S
Propeller: APC 16x10E or 17x8E

50 class

50 Class

Miss **ULTIMATE** 50E

V.2 New color scheme

6s



Wing span: 59 in (1.500 mm)

Length: 64.5 in (1.640 mm)

Wing area: 1.178 sq in (6,5 dm²)

Weight (less battery): 6,71 lb (3,05 Kg)

Weight RTF (with 5000-6S): 8.26 lb (3,75 Kg)

Radio: 8+ ch. w. 4 micro MG digital servo
+ 2 standard MG digital servo

Recommended Power Setup:

Motor Hacker A50-16S + ESC Hacker Master Basic 90A

Recommended battery pack: 5000-6S

Propeller: 16X10E or 17x8E



White / Red scheme



White / Orange / Red scheme

www.sebart.it



www.sebart-shop.com

EPILATUS PC-21^{50E}

V.2 New Blue
color scheme

**New version,
with electric landing gear,
doors and steering wheel servo
factory installed**



Blue scheme



White / Red scheme



Wing Span: 60 in (1.510 mm)
Length: 65 in (1.660 mm)
Wing Area: 713 sq in (46 dm²)
Weight (less battery): 6.55 - 6.89 lb (2,975 - 3,125 Kg)
Required radio: 6+ ch. with 4 standard servos

Recommended Power Setup:
Motor: Hacker A50-14S
ESC: Hacker Master Basic 70 ESC SB
Battery: Li-Po 5000-5S
Propeller: APC 16x8E or 16x10E

50 class scale

50 Class



White / Red scheme



6s

Wing Span: 62,2 in (1.580 mm)
Length: 64.9 in (1.650 mm)
Wing Area: 710 sq in (45,8 sq dm)
Weight (less battery): 4.85 lb (2,2 Kg)
Required radio: 4 ch. with 4 standard servos

Recommended power set up:

Motor: Hacker A50-16S

ESC: Hacker Master Basic 70A ESC SB

Battery: Li-Po 3800-6S or 5000-6S

Propeller: APC 16x10E



White / Blue scheme



Underside scheme

Angel

EVO
50E

F3A planes for everybody!

New! V.2

www.sebart.it



www.sebart-shop.com

APOLLO S 50E

***F3A Trainer
for everybody!***



White / Orange / Red scheme



Yellow / Black / Red scheme

Wing Span: 62 in (1.580 mm)
Length: 66 in (1.670 mm)
Wing Area: 710 sq in (45,8 dm²)
Weight RTF (less battery): 5.9 lb (2,7 Kg)
Weight (with 6S battery): 7.7 lb (3,5 Kg)
Required radio: 6 or more channels
 with 5 MINI MG digital servos (JR S3411 or S3911)

Recommended Power Setup
Motor: Hacker A50-16S + ESC: Jeti 100A
Battery: Li-Po 5800-6S
Propeller: APC 16x10E or 17x8E

50 class

50 class scale

SF260^{TP}

SIAI MARCHETTI

50E



Yellow / Black
scheme

Optional wing pylons
and tanks

Wing Span: 66.1 in (1.680 mm)
Length: 65.7 in (1.670 mm)
Wing Area: 799.8 sq in (51,6 dm²)
Weight (less battery): 8.37 lb (3,8 Kg)
Weight RTF (with 5000-6S): 10.14 lb (4,6 Kg)
Required radio: 6+ ch. with 4 MG standard servos

Recommended Power Setup
Motor: Hacker A50-16S
ESC: Hacker Master Basic 90A
Battery: Top-Fuel 5000-6S
Propeller: APC 16x10E or 16x12E



Red / White scheme



Electric retract gear and doors included

www.sebart.it



www.sebart-shop.com



Mythos 50E
70 glow



Yellow / Black scheme



White / Blue / Red scheme



Wing Span: 62.2 in (1.580 mm)
Length: 65.7 in (1.670 mm)
Wing Area: 80.6 sq in (52 dm²) + small top wing
Weight (no battery): 6.06 lb (2,75 kg)
Required radio: 6+ ch. with 3 std. and 2 mini servos (elev.)
Recommended Power Setup
Motor: Hacker A50-16S
ESC: Hacker Master Basic 70A SB
Battery: Li-Po 4500-6S or 5000-6S
Propeller: APC 16x12E or 17x10E

50 Class

125 Class

Mythos

125E



Red / Blue scheme



6s

Wing Span: 71 in (1.800 mm)
Length: 75 in (1.900 mm)
Wing Area: 946 sq in (61 dm²)
Weight (less battery): 8.04 lb (3,65 kg)
Required radio: 6+ ch. with 3 std. and 2 mini servos (elev.)

Recommended Power Setup
Motor: Hacker A60-6XS v.2
ESC: Hacker X-110A ESC
Battery: Li-Po 5000-6S
Propeller: APC 19x12E or 20x12E



Removable T-Canalyzer



Yellow / Black scheme

www.sebart.it



www.sebart-shop.com



Zeus^{2m}

Biplane

ADVANCED F3A Design



Contra Drive System



Underside paint scheme



5s+5s

Wing span: 73.62 in (1.870 mm) - **Length:** 78.74 (2.000 mm)
Wing area 1410.5 sq in (91 dm²)
Weight with CR system (less battery): 8.49 lb (3,85 Kg)
Weight RTF (with 5000-10s): 10.80 lb (4,9 Kg)
Required radio: 8+ ch. with 1 high torque MG + 6 mini servo MG
Recommended CR Power Setup:
Motor: Contra Drive System or single prop motor
ESC: Hacker/Jeti SPIN 125A
Recommended battery pack: Li-Po 5000-10S (5s + 5s)
Propellers: Carbon Props for CR system or single propellers

F3A Class

Jet/Edf Class



Avanti XS

1.9m

12 Blades 120mm EDF unit or P60 / P130 Turbine

Fiberglass fuselage painted outside mould

**Wings and stabilizers
in balsa, film covered**

**OPTION:
Electric aluminum landing gears
with electric brakes**

Blue Style scheme

www.sebart.it

**Wing span: 70.86 in (1.800 mm)
Length: 74.80 in (1.900 mm)
Wing area: 976.5 sq in (63 dm²)**

**With Turbine P60/P70
Weight RTF (dry): 16.53 lb (7,5 Kg)**

**With EDF 120mm:
full aluminum 12 blades 120mm EDF unit
Weight (less battery): 14.33 lb (6,5 Kg)
Weight RTF (with battery 5800-12S): 18.73 lb (8,5 Kg)**

**Required radio: 7+ ch.
with 6 MG mini servos + 2 standard for flaps**



Red Style scheme



Yellow Style scheme



Frece Tricolori scheme



www.sebart-shop.com

MB-339XS

1.9m

12 Blades 120mm EDF unit
or P60 / P130 Turbine **V.2**

Fiberglass fuselage painted outside mould

Wings and stabilizers
in balsa, film covered

OPTION:

Electric aluminum landing gears
with electric brakes
Wing tip tanks



SEBA 2025 White/Green/Red/Silver scheme



SEBA 2025 White/Blue/Red/Gold scheme



Frecce Tricolori 100 Years scheme

Wing span: 74.8 in (1.900 mm)
Length: 74.80 in (1.900 mm)
Wing area: 976.5 sq in (63 dm²)

With Turbine P60/P70
Weight RTF (dry): 17.41 lb (7,9 Kg)

With EDF 120mm:
full aluminum 12 blades 120mm EDF unit
Weight (less battery): 15.21 lb (6,9 Kg)
Weight RTF (with battery 5800-12S): 19.62 lb (8,9 Kg)

Required radio: 7+ ch.
with 6 MG mini servos + 2 standard for flaps

Jet/Edf Class

Jet Class

Avanti^S JET

Designed for:

- Jet beginners (P100 RX)
- The new FAI F3S Class (P140 RX)
- The 3D Unlimited Flight (P180 RX)

...Designed for you!

THE NEW UNLIMITED SPORT AEROBATIC JET

**Pneumatic or electric
landing gear available as option**

Red / Blue scheme

**Hi-Tech composite fuselage painted outside mould
Wings and stabilizers in balsa, film covered.**

Wing Span: 79 in (2.000 mm)

Length: 87 in (2.200 mm)


Weight (dry): 23.1 lb (10,5 Kg)

Required radio: 9 ch. with 8 std. servos

Recommended Power Setup:

from P100 RX Turbine to up

Optional: Thrust Vectoring System



Thrust Vectoring System as Optional



Yellow / Black scheme

www.sebart.it



www.sebart-shop.com

PILATUS PC-21^{XL}

V.2

**New color scheme
Detailed decal set
Retractable electric
landing gear (OPTION)**



**White/Red
scheme**

Blue scheme



Easy transport system



Wide canopy access



6S+6S

**Wing Span: 82.67 in (2.100 mm)
Length (with spinner): 92.91 in (2.360 mm)
Wing Area: 13.950 sq in (90 dm²)
Weight 20.9 lb (9,48 kg)
Required radio: 9+ ch. with 8 MG digital + 2MG mini servos
Electric motor: Hacker Q80-8M + ESC 170A
Battery: 2x Top Fuel 6S 5000 Mah (12S)
Propeller: 22x12 / 23x13
Gas Engine: 50/60cc**

2.2m Class

Miss ULTIMATE S 2.1m

V.2 BORN FOR
ELECTRIC POWER!

*Lightweight structure
with all-wood airframe*



SehArt
20 years
scheme

www.sebart.it

IMAC pro CLASS

Wing Span: 86.61 in (2.200 mm)
Length (with spinner): 94.48 in (2.400 mm)
Wing Area: 16.895 sq in (109 dm²)
Weight 29.1 lb (13,2 kg)
Required radio: 8+ ch. with 8 HT MG digital servos
Electric motor: Hacker Q80-6L V2 kv180
ESC: SPIN 165 Pro OPTO
Battery: 2x Top Fuel ECO-X 5800 6S MTAG (12S)
Propeller: 28x12
Gas Engine: DA 100, DA 120, GP 123, 3W 110 CS.
Propeller: 28x10 / 29x10



Underside scheme



Red / White scheme



www.sebart-shop.com

GILES 2.5m

G-202 Imac Pro



White / Red scale scheme



JR scheme

Wing Span: 98.42 in (2.500 mm)
Overall length: 100 in (2.540 mm)
Wing Area: 1326.68.5sq in (85,6 dm²)
Radio: 8+ ch. with 7-8 HT MG servos (JR PROPO DS8911/DS8944)
Electric Power Setup:
Motor: Hacker Q80-6L HD + ESC HW 260A V5
Battery: 2x 12.000-6S (12S)
Weight: no battery 20.94 lb (9,5 Kg) - RTF 27.55 lb (12,5 Kg)
Propeller: 29x16 EL Falcon
Thermic Power Setup:
Gas engine: DA 100, DA 120, Gp 123, 3W 110CS
Propeller: Falcon 28x10 / 29x9W
Weight: 25.35 lb (11,5 Kg)

IMAC pro CLASS

JR PROPO[®]

PROFESSIONAL RADIO CONTROL SYSTEM



www.jrpropo.eu



Official Dealer for Europe



1/5 F-86F



1/5 F-16



1/5,75 F-18f XL



1/5,5 F-14 XXL



1/5 F15 XXL



1/6 Su-30

www.skymasterjets.net

Skymaster
EUROPE

The Company

Sebastiano Silvestri
Pilot & Designer

FAI F3A World Cup Winner 2010 -2012



FAI F3A Vice European Champion

15 Times F3A Italian Champion

**2016 Winner of Jet individual FreeStyle
at RED FLAG competition U.S.A.**



**Headquarters
in RSM**



China Production Department



www.sebart.it
www.sebart-shop.com

Italy and EU countries: **SEBART International IT S.r.l.** - Corso d'Augusto, 14 - 47921 Rimini (RN) - ITALY - Cell. +39 337 1008450

San Marino and NOT EU countries: **ESSE TRADE S.r.l.** - Via L. Tabellione, 1 - 47891 Rovereta - Rep. di San Marino (RSM)- Mob. +39 337 1008450 - Tel. +378 0549 909977 - Fax +378 0549 972270